## CSPP Rondo

MINI INCUBATOR WITH COOLING





The CAPP Rondo Mini Incubator is the perfect lab incubator for space-limited and mobile laboratories.

Designed with a fine-tuned microprocessor-controlled thermal system and generous internal space, it provides a high level of feature parity with larger laboratory incubators without cutting corners.

The CAPP Rondo Mini Incubator has a large inner chamber (22 L) with plenty of space for holding a variety of sample types. From Petri dishes to sample vials and even large bottles (2L max.) the CAPP Rondo Mini Incubator is ready for the task. Removable, adjustable shelving make it easy to adjust the space to suit the samples to be stored.

The CAPP Rondo Mini Incubator can incubate samples at temperatures of up to 60°C for long periods of time. It can also be used as a chiller, lowering sample temperatures to as low as 15°C below ambient. The high temperature accuracy (±0.5°C at 37°C) and thermal uniformity (±1.5°C at 37°C) of the CAPP Rondo Mini Incubator make it a reliable device for most labs.

With its small portable size (410 x 340 x 480 mm) and feather-weight (7.4kg), the **CAPP** Rondo **Mini Incubator** is easy for one person to move from one workbench to another without risking injury or damage to the unit. This makes it easy to bring the incubator to the samples, minimizing the risk of sample contamination.

## **Specifications:**

| Temperature Range      | 15°C below ambient, up to 60°C |
|------------------------|--------------------------------|
| Temperature Accuracy   | 0.5°C (at 37°C)                |
| Temperature Uniformity | +/- 1.5°C (at 37°C)            |
| Temperature Increments | +/- 1°C                        |
| Exterior Dimensions    | 410 x 340 x 480mm              |
| Interior Dimensions    | 260 x 235 x 360mm              |
| Weight                 | 7.4kg                          |
| Electrical             | 100-240V, 50-60Hz              |

## **Features:**

- Intuitive control panel with a large easy-to-read LED display
- Microprocessor controlled thermal adjustment with fine, granular ±1°C adjustments
  - Small footprint (13 x 14.5") ideal for space-restricted laboratories
  - Internal chamber illuminated with a bright light fixture for easy sample retrieval
- Internal power outlet for powering small instruments (e.g. vortex mixers, rollers, shakers etc.)

## **Ordering Information**

| Cat No. | Description  |
|---------|--|
| CR-MI1  | Digital Mini Incubator with heating and cooling (15°C below ambient, up to 60°C) |

